Refine Search

Search Results -

Terms	Documents
(secur$3 near3 text near3 data)	9

Database:
```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Search:
```
L3
```

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Tuesday, June 14, 2005   Printable Copy   Create Case

Set Name Query	Hit Count	Set Name
side by side		result set
DB=EPAB,JPAB; PLUR=YES; OP=OR		
L3 (secur$3 near3 text near3 data)	9	L3
DB=TDBD; PLUR=YES; OP=OR		
L2 (secur$3 near3 text)	7	L2
DB=EPAB,JPAB; PLUR=YES; OP=OR		
L1 (secur$3 near3 text)	57	L1

END OF SEARCH HISTORY

Hit List

| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs |

| Generate OACS |

Search Results - Record(s) 1 through 9 of 9 returned.

☐ 1. Document ID: JP 2004240748 A
-:   Invalid display element.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw Des |

☐ 2. Document ID: JP 2002304395 A
-:   Invalid display element.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw Des |

☐ 3. Document ID: JP 06096077 A
-:   Invalid display element.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw Des |

☐ 4. Document ID: JP 04056444 A
-:   Invalid display element.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw Des |

☐ 5. Document ID: JP 03156677 A
-:   Invalid display element.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw Des |

☐ 6.   Document ID: JP 02257269 A
-:   Invalid display element.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw Des |

☐ 7.   Document ID: JP 02177659 A
-:   Invalid display element.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw Des |

☐ 8.   Document ID: WO 9515649 A1
-:   Invalid display element.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw Des |

☐ 9.   Document ID: EP 266748 A2
-:   Invalid display element.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw Des |

| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |

Terms	Documents
(secur$3 near3 text near3 data)	9

Display Format: TI   Change Format

Hit List

Search Results - Record(s) 1 through 7 of 7 returned.

☐ 1. Document ID: NNRD440164

L2: Entry 1 of 7   File: TDBD   Dec 1, 2000

TDB-ACC-NO: NNRD440164

DISCLOSURE TITLE: SYSTEM AND METHOD FOR REVERSIBLY MARKING A BINARY FILE WITH
RANDOM PATTERNS OF BITS FOR AUTHENTICATION

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw De |

☐ 2. Document ID: NNRD431172

L2: Entry 2 of 7   File: TDBD   Mar 1, 2000

TDB-ACC-NO: NNRD431172

DISCLOSURE TITLE: Encrypting user entered fields in cookie file contents for
decreasing risk of password theft in Web browsers

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw De |

☐ 3. Document ID: NN940919

L2: Entry 3 of 7   File: TDBD   Sep 1, 1994

TDB-ACC-NO: NN940919

DISCLOSURE TITLE: Registration-Based Software Security

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De

4. Document ID: NN9308227

L2: Entry 4 of 7   File: TDBD   Aug 1, 1993

TDB-ACC-NO: NN9308227

DISCLOSURE TITLE: Multiple Entry with Immediate Verification

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De

5. Document ID: NN9111401

L2: Entry 5 of 7   File: TDBD   Nov 1, 1991

TDB-ACC-NO: NN9111401

DISCLOSURE TITLE: Query Calendar Items.

Full	Title	Citation	Front	Review	Classification	Date	Reference			Claims	KWIC	Draw De

6. Document ID: NB9002168

L2: Entry 6 of 7   File: TDBD   Feb 1, 1990

TDB-ACC-NO: NB9002168

DISCLOSURE TITLE: Descriptive <u>Text for Relinquishing the Security</u> Attributes Of a
Document.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw D |

☐ 7. Document ID: NN73033130

L2: Entry 7 of 7   File: TDBD   Mar 1, 1973

TDB-ACC-NO: NN73033130

DISCLOSURE TITLE: Explicit Display of Multiply Mapped Characters. March 1973.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw D |

| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |

Terms	Documents
(secur$3 near3 text)	7

Display Format: |- [Change Format]

Hit List

Search Results - Record(s) 1 through 7 of 7 returned.

☐ 1. Document ID: NNRD440164

L2: Entry 1 of 7   File: TDBD   Dec 1, 2000

TDB-ACC-NO: NNRD440164

DISCLOSURE TITLE: SYSTEM AND METHOD FOR REVERSIBLY MARKING A BINARY FILE WITH
RANDOM PATTERNS OF BITS FOR AUTHENTICATION

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw D

☐ 2. Document ID: NNRD431172

L2: Entry 2 of 7   File: TDBD   Mar 1, 2000

TDB-ACC-NO: NNRD431172

DISCLOSURE TITLE: Encrypting user entered fields in cookie file contents for
decreasing risk of password theft in Web browsers

Full | Title | Citation | Front | Review | Classification | Date | Reference | Claims | KWIC | Draw D

☐ 3. Document ID: NN940919

L2: Entry 3 of 7   File: TDBD   Sep 1, 1994

TDB-ACC-NO: NN940919

DISCLOSURE TITLE: Registration-Based Software Security

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw De |

☐ 4. Document ID: NN9308227
L2: Entry 4 of 7   File: TDBD   Aug 1, 1993

TDB-ACC-NO: NN9308227

DISCLOSURE TITLE: Multiple Entry with Immediate Verification

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw De |

☐ 5. Document ID: NN9111401
L2: Entry 5 of 7   File: TDBD   Nov 1, 1991

TDB-ACC-NO: NN9111401

DISCLOSURE TITLE: Query Calendar Items.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw De |

☐ 6. Document ID: NB9002168
L2: Entry 6 of 7   File: TDBD   Feb 1, 1990

TDB-ACC-NO: NB9002168

DISCLOSURE TITLE: Descriptive <u>Text for Relinquishing the Security</u> Attributes Of a Document.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw D |

☐ 7.   Document ID: NN73033130

L2: Entry 7 of 7   File: TDBD   Mar 1, 1973

TDB-ACC-NO: NN73033130

DISCLOSURE TITLE: Explicit Display of Multiply Mapped Characters. March 1973.

| Full | Title | Citation | Front | Review | Classification | Date | Reference | | | Claims | KWIC | Draw D |

| Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS |

Terms	Documents
(secur$3 near3 text)	7

Display Format: [-] Change Format

☐ ▓▓▓ Generate Collection ▓▓▓ Print

L3: Entry 9 of 9   File: EPAB   May 11, 1988

PUB-NO: EP000266748A2
DOCUMENT-IDENTIFIER: EP 266748 A2
TITLE: A software protection system using a single-key cryptosystem, a hardware-based authorization system and a secure coprocessor.

PUBN-DATE: May 11, 1988

INVENTOR-INFORMATION:
NAME   COUNTRY
CHANDRA, ASHILESHWARI NARAIN
COMERFORD, LIAM DAVID
WHITE, STEVE RICHARD

ASSIGNEE-INFORMATION:
NAME   COUNTRY
IBM   US

APPL-NO: EP87116184
APPL-DATE: November 3, 1987

PRIORITY-DATA: US92729986A (November 5, 1986), US92762986A (November 5, 1986)

INT-CL (IPC): G06F 1/00; G06F 12/14
EUR-CL (EPC): G06F001/00; G06F001/00, G06F001/00 , G06F021/00

ABSTRACT:

CHG DATE=19990617 STATUS=O> The invention provides a software asset protection mechanism which is based on the separation of the software to be protected from the right to execute that software. Protected software can only be executed on composite computing systems in which a physically and logically secure coprocessor (15) is associated with a host computer (10). The software to be protected is broken down into a protected (encrypted) portion FILE2 EAK and an (optical) unprotected or plain text portion FILE 2 PLAIN. The software is distributed by any conventional software distribution mechanism (for example a floppy disk) including the files already identified along with an encrypted software decryption key FILE1. The coprocessor is capable of decrypting the software decryption key so it can thereafter decrypt the software, for execution purposes. However, the coprocessor will not perform these functions unless and until the user's right to execute is evidenced by presentation of a physically secure token (20). The physically secure token provides to the coprocessor token data in plain text form (the physical security or the plain text token data is provided by the cartridge within which token data is stored). The physical properties of that cartridge taken together with the correspondence between the token data provided by the cartridge and the encrypted token data evidence the user's right to execute.

☐ ▨▨▨ Generate Collection ▨▨▨ | Print

   L3: Entry 9 of 9   File: EPAB   May 11, 1988

PUB-NO: EP000266748A2
DOCUMENT-IDENTIFIER: EP 266748 A2
TITLE: A software protection system using a single-key cryptosystem, a hardware-
based authorization system and a secure coprocessor.

PUBN-DATE: May 11, 1988

INVENTOR-INFORMATION:
NAME   COUNTRY

CHANDRA, ASHILESHWARI NARAIN

COMERFORD, LIAM DAVID

WHITE, STEVE RICHARD

ASSIGNEE-INFORMATION:
NAME   COUNTRY
IBM   US

APPL-NO: EP87116184
APPL-DATE: November 3, 1987

PRIORITY-DATA: US92729986A (November 5, 1986), US92762986A (November 5, 1986)

INT-CL (IPC): G06F 1/00; G06F 12/14
EUR-CL (EPC): G06F001/00; G06F001/00, G06F001/00 , G06F021/00

ABSTRACT:

CHG DATE=19990617 STATUS=O> The invention provides a software asset protection
mechanism which is based on the separation of the software to be protected from the
right to execute that software. Protected software can only be executed on
composite computing systems in which a physically and logically secure coprocessor
(15) is associated with a host computer (10). The software to be protected is
broken down into a protected (encrypted) portion FILE2 EAK and an (optical)
unprotected or plain text portion FILE 2 PLAIN. The software is distributed by any
conventional software distribution mechanism (for example a floppy disk) including
the files already identified along with an encrypted software decryption key FILE1.
The coprocessor is capable of decrypting the software decryption key so it can
thereafter decrypt the software, for execution purposes. However, the coprocessor
will not perform these functions unless and until the user's right to execute is
evidenced by presentation of a physically secure token (20). The physically secure
token provides to the coprocessor token data in plain text form (the physical
security or the plain text token data is provided by the cartridge within which
token data is stored). The physical properties of that cartridge taken together
with the correspondence between the token data provided by the cartridge and the
encrypted token data evidence the user's right to execute.

First Hit   Previous Doc   Next Doc   Go to Doc#

☐ ▓▓▓ Generate Collection ▓▓▓ | Print |

L2: Entry 3 of 7   File: TDBD   Sep 1, 1994

TDB-ACC-NO: NN940919

DISCLOSURE TITLE: Registration-Based Software Security

PUBLICATION-DATA:
IBM Technical Disclosure Bulletin, September 1994, US

VOLUME NUMBER: 37
ISSUE NUMBER: 9
PAGE NUMBER: 19 - 22

PUBLICATION-DATE: September 1, 1994 (19940901)

CROSS REFERENCE: 0018-8689-37-9-19

DISCLOSURE TEXT:

Computer systems typically provide security by requiring a user logon sequence to
gain access to the system; the logon sequence is often combined with the definition
of groups of resources, providing a means by which specific classes of users are
granted access to specific system resources. For example, with IBM's mainframe-
based VM, a user is given access to various disk or file resources; with PC-based
local area networks (LANs), users are given access to various disk, device, or even
application resources (the entire application being considered as a resource).

Previous Doc   Next Doc   Go to Doc#

☐ [Generate Collection]   [Print]

L2: Entry 3 of 7   File: TDBD   Sep 1, 1994

TDB-ACC-NO: NN940919

DISCLOSURE TITLE: Registration-Based Software Security

DISCLOSURE TEXT:

Computer systems typically provide security by requiring a user logon sequence to
gain access to the system; the logon sequence is often combined with the definition
of groups of resources, providing a means by which specific classes of users are
granted access to specific system resources. For example, with IBM's mainframe-
based VM, a user is given access to various disk or file resources; with PC-based
local area networks (LANs), users are given access to various disk, device, or even
application resources (the entire application being considered as a resource).